

SPECIFICATION

CI - WC - 0.25TR

- **Capacity: 0.25 TR**
- Cooling Capacity : 0.25 TR
- Compressor : Hermetically Sealed
- Compressor Make : Emerson-Copeland/Danfoss
- Condenser : Air Cooled
- Condenser Fan : Reputed
- Evaporator : Coil in Tank
- Refrigerant : R – 134 A
- Reservoir : 15 Liters Stainless Steel 304 Grade Approx.
- Primary Re-Circulation Pump : CNP Pump 3 LPM @ 1 Bar
- Refrigeration Accessories : Danfoss/ Repute
- Electrical Accessories : ABB
- Digital Temperature Controller : Subzero make with On-Delay Timer
- Structure & Enclosure : CRCA Powder Coated
- Operating Voltage : 230V / 415 Volts AC 50 Hz
- Power Consumption : 0.5 Kw Approx.



CI - WC - 0.25TR

CI - WC - 1.0TR

- Application : Industrial
- Media : Clean / Distilled Water
- Ambient Temperature : 45 C
- Water Temperature Range : 15 to 20 C
- Water Flow Rate : 10 LPM, 2 Bar
- Actual Cooling Capacity : 1 TR
- Compressor : Hermetically Sealed
- Condenser : Air Cooled / Water Cooled
- Construction : Aluminum Finned Copper Tube
- Refrigerant : R – 134A / R – 22
- Thermostatic Expansion Valve : NA – Capillary
- Filter Drier : Danfoss / Emerson
- Digital Temperature Controller : Subzero
- MCB / Contactors / MPCB : ABB
- Terminal Blocks : Connect well
- Primary Re Circulating Pump : 10 LPM @ 2 Bar
- Type : Centrifugal
- Operating Voltage : 230 Volts AC 50 Hz
- Phase : 1 Phase + N
- Power Consumption : 2 KW
- Reservoir Volume : 50 Liters
- Construction : Stainless steel
- Insulation : Poly Nitrile Foam



CI - WC - 1.0TR



techno instrument company

#37, 3rd main road, Vayalikalaval, Bangalore - 560 003. INDIA

ph: 91-080-23349239 / 23449007

Email: ticci80@gmail.com

www.technoinstruments.co.in