



HUMIDITY CABINET / ENVIRONMENTAL CHAMBER

CODE: 12017

APPLICATIONS:

PRODUCT CONDITIONING, PERFORMANCE TESTING, ENVIRONMENTAL SIMULATION, STORAGE, EVALUATION, SEED GERMINATION, etc.,

USED IN : PHARMACEUTICALS, COSMETICS INDUSTRY, DEFENCE AND AEROSPACE, CHEMICAL INDUSTRY, PAINT COATING & PRINTING INDUSTRY, RUBBER INDUSTRY, PLASTIC INDUSTRY, PACKAGING INDUSTRY ETC.

These chambers are available in two models, Basic and Refrigerated

STANDARD FEATURES :

Chamber Design	: Double / Triple Walled construction.
Inner Chamber	: Made of thick Gauge, Matt finished SS 304/316.
Outer Body	: CR sheet, Powder coated / S.S. Matt finish.
Door	: With Double glass or Vacuum sealed View window.
Lock	: Latch type lock & Polymide Handle.
Controller	: Programmable Microprocessor based temperature cum humidity controller.
Sensor Type	: RTD sensor (wet and dry principle).
Trays	: Adjustable Rod mesh or Perforated Trays.
Illumination	: Internal illumination provided.

Air Circulation : Convectonal Air flow by dynamically balanced SS blower with continuous Duty TEFC motor at the rear for uniformity in the chamber.

Insulation : Low 'K' factor Thick Ceramic Wool/Puff insulation

Heaters : Special SS air heaters.

Gasket : Silicone Gasket for leak proof operations.

Wheels : Castor wheels for easy mobility.

Refrigeration : CFC free air cooled compressor system.





Temp. Range : Ambient to 65°C (BASIC MODEL)
: 10°C to 65°C (REFRIGERATED MODEL)
: -10°C to 130°C (REFRIGERATED MODEL)
: -30°C to 130°C (REFRIGERATED MODEL)

Temp. Resolution : 0.1°C

Accuracy : ± 1°C

Humidity Range : ± 5% above amb. to 98% RH (BASIC MODEL)
: 30% TO 98% RH
(**OPTIONAL** with REFRIGERATED MODEL)

Humidity Resolution : 0.1% RH

Accuracy : ± 5%

Operation : 230V 50Hz, single phase/3 phase.

MODEL	CODE	SIZE	TRAYS
HC- 80	12017-01	350x380x600mm	2
HC-165	12017-02	500x380x900mm	2
HC-265	12017-03	600x500x900mm	2
HC-330	12017-04	600X550X1000mm	3
HC-500	12017-05	600X850X1000mm	3
HC-1000	12017-06	1000x1000x1000mm	3

*** CUSTOM BUILT SIZES AVAILABLE ON REQUEST**

OPTIONAL ACCESSORIES

- ✍ PROGRAMMABLE DIGITAL TIMER.
- ✍ DATA RECORDING SYSTEM (USB BASED)
- ✍ AUTOMATIC BOILER WATER LEVEL CONTROL & ALARM
- ✍ AUTOMATIC WATER LEVEL CONTROL FOR WET BULB SENSOR RESERVOIR
- ✍ FULLY INTEGRATED CONTROL SYSTEM WITH TOUCH SCREEN BASED CONTROL
- ✍ SPARE TRAYS/RACKS
- ✍ ACCESS PORT AT THE SIDE (50mm).
- ✍ DE-HUMIDIFICATION SYSTEM FOR RH UPTO 30%
- ✍ DOOR LOCK
- ✍ DOOR OPEN SENSOR





DESIGNED & MANUFACTURED BY:



Culture Instruments India LLP

37, III MAIN ROAD, VYALIKAVAL, BANGALORE - 560 003. (INDIA)

PH: 91 - 080 - 23349239 / 23449007 / 09886780513

Email: cultureinstruments@gmail.com / sales@technoinstruments.co.in

Website: www.technoinstruments.co.in

Works: D-428, 10th MAIN ROAD, PEENYA 2nd STAGE, P.I.A, BANGALORE - 560 058. (INDIA)

*** Products & Design Subject To Change Without Prior Notice.**